


HTML CODE FILE

Name: Nayab Ibrahim
Department: CIS
Course: IAD
Lab no: 01
Registration no: 040



Pakistan Institute of Engineering and Applied Science

CART PAGE:

```
<!DOCTYPE html>
<html>
<head>
<title>Cart</title>
<link rel="stylesheet" href="style.css">
</head>
<body>

<header>
<h1>Your Cart</h1>
</header>

<div class="form-box">

<h2>Your Items</h2>

<label>
<input type="checkbox"> Chair - $5000 | Qty: 1
</label>
<label>
<input type="checkbox"> Desk - $10000 | Qty: 2
</label>

<br>

<button onclick="location.href='payment.htm'">Checkout</button>
<button onclick="location.href='order.htm'">Back</button>

</div>
</body>
</html>
```

Output:

Your Cart

Your Items

- Chair - \$5000 | Qty: 1
- Desk - \$10000 | Qty: 2

Checkout

Back

HELP PAGE:

```
<!DOCTYPE html>
<html>
<head>
<title>Help</title>
<link rel="stylesheet" href="style.css">
</head>
<body>


<header>
<h1>Pine Valley Furnishing</h1>
</header>

<ul>
<li>Use menu to navigate pages.</li>
<li>Register before placing order.</li>
<li>Contact support for assistance.</li>
</ul>

<button onclick="location.href='index.htm'">Back</button>
</body>
```

</html>

Output:



HOME PAGE:

```
<!DOCTYPE html>
<html>
<head>
<title>Pine Valley Furnishing</title>
<link rel="stylesheet" href="style.css">
</head>
<body>


<header>
<h1>Pine Valley Furnishing</h1>
</header>

<div class="container">
<div class="menu">
<a href="search.htm">Search Product</a>
```

```
<a href="order.htm">Place Order</a>
<a href="#">History</a>
<a href="#">Settings</a>
<a href="help.htm">Help</a>
<a href="login_as.htm">Login / Register</a>
</div>
</div>

</body>
</html>
```

Output:



CUSTOMER HOME PAGE:


```
<!DOCTYPE html>
<html>
<head>
<title>Pine Valley Furnishing</title>
<link rel="stylesheet" href="style.css">
</head>
<body>

<header>
<h1>Pine Valley Furnishing</h1>
</header>
```

```
<div class="container">
<div class="menu">
<a href="search.htm">Search Product</a>
<a href="order.htm">Place Order</a>
<a href="#">History</a>
<a href="#">Settings</a>
<a href="help.htm">Help</a>
<a href="index.htm">Logout</a>
</div>
</div>

</body>
</html>
```

Output:



EMPLOYEE HOME PAGE


```
<!DOCTYPE html>
<html>
<head>
<title>Pine Valley Furnishing</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
```

```
<header>
<h1>Pine Valley Furnishing</h1>
</header>

<div class="container">
<div class="menu">
<a href="#">Item Log</a>
<a href="#">Customer Log</a>
<a href="#">Sale Summary</a>
<a href="update.htm">Update Catalogue</a>
<a href="help.htm">User Complaints</a>
<a href="index.htm">Logout</a>
</div>
</div>

</body>
</html>
```

Output:



EMPLOYEE LOGIN PAGE :

```
<!DOCTYPE html>
<html>
<head>
<title>Employee Login</title>
```

```
<link rel="stylesheet" href="style.css">
</head>
<body>

<header>
<h1>Pine Valley Furnishing</h1>
</header>


<div class="form-box">
<h2>Employee Login</h2>

<input type="text" value="EMP001" readonly>
<input type="password" value="12345" readonly>

<button onclick="location.href='index_emp.htm'">Login</button>
<button onclick="location.href='login_as.htm'">Back</button>

</div>
</body>
</html>
```

Output:



CUSTOMER LOGIN PAGE:

```
<!DOCTYPE html>
```

```
<html>
<head>
<title>Customer Login</title>
<link rel="stylesheet" href="style.css">
</head>
<body>

<header>
<h1>Pine Valley Furnishing</h1>
</header>

<div class="form-box">
<h2>Customer Login</h2>


<input type="text" value="CUST001" readonly>
<input type="password" value="22345" readonly>

<button onclick="location.href='index_cust.htm'">Login</button>
<button onclick="location.href='login_as.htm'">Back</button>

<p>Don't have an account? <a href="register.htm" class="text-link">Register</a></p>

</div>
</body>
</html>
```

Output:



LOGIN OPTION PAGE:


```
<!DOCTYPE html>
<html>
<head>
<title>Login Option</title>
<link rel="stylesheet" href="style.css">
</head>
<body>

<header>
<h1>Pine Valley Furnishing</h1>
</header>

<div class="form-box">
<h2>Login Options</h2>

<a href="login.htm">Login As Employee</a>
<a href="login_cust.htm">Login As Customer</a>
<button onclick="location.href='index.htm'">Back</button>
</div>
</body>
</html>
```

Output:



PLACE ORDER PAGE:

```
<!DOCTYPE html>
<html>
<head>
<title>Place Order</title>
<link rel="stylesheet" href="style.css">
</head>
<body>

<header>
<h1>Chairs</h1>
</header>

<div class="container">
<div class="products">
<div class="product-card">

<p>$5000</p>
<button>Add to Cart</button>
</div>

<div class="product-card">

<p>$7000</p>
<button>Add to Cart</button>
</div>

<div class="product-card">

<p>$9000</p>
<button>Add to Cart</button>
</div>


</div>

<br>
<button onclick="location.href='index.htm'">Back</button>
<button onclick="location.href='cart.htm'">Cart</button>

</div>
</body>
```

</html>

Output:



PAYMENT PAGE:

```
<!DOCTYPE html>
<html>
<head>
<title>Payment</title>
<link rel="stylesheet" href="style.css">
</head>
<body>

<header>
<h1>Pine Valley Furnishing</h1>
</header>

<div class="form-box">
<h2>Order Checkout</h2>

<div class="group">
<label>
<input type="radio" name="payment"> Cash on Delivery
</label>

<label>
<input type="radio" name="payment"> Card / Credit
```

```
</label>
```

```
</div>
```

```
<h3>Billing Address</h3>
```

```
<div class="group">
```

```
<label>
```

```
<input type="radio" name="address"> Same as Shipping
```

```
</label>
```

```
<label>
```

```
<input type="radio" name="address"> Other
```

```
</label>
```

```
</div>
```

```
<div class="btn-group">
```

```
<button>Confirm Order</button>
```

```
<button onclick="location.href='cart.htm'">Back</button>
```


```
</div>
```

```
</div>
```

```
</body>
```


```
</html>
```

Output:



CUSTOMER REGISTRATION :

```
<!DOCTYPE html>
<html>
<head>
<title>Customer Registration</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
<header>
<h1>Pine Valley Furnishing</h1>
</header>
<div class="form-box">
<h2>Customer Registration</h2>
<input type="text" placeholder="Enter Name">
<input type="email" placeholder="Enter Email">
<input type="password" placeholder="Enter Password">
<input type="password" placeholder="Confirm Password">
<input type="text" placeholder="Enter Address">
<input type="text" placeholder="Enter City">
<input type="text" placeholder="Enter State">
<input type="text" placeholder="Enter Postal Code">
<button>Register</button>
<button onclick="location.href='login_as.htm'">Back</button>
</div>
</body>
</html>
```



The screenshot shows a web browser window with the address bar displaying "D:/IAD/lab%201/register.htm". The page has a dark brown header with the text "Pine Valley Furnishing". Below the header is a white registration form titled "Customer Registration". The form contains the following fields and buttons:

- Enter Name
- Enter Email
- Enter Password
- Confirm Password
- Enter Address
- Enter City
- Enter State
- Enter Postal Code
- Register
- Back

SEARCH PAGE:

```
<!DOCTYPE html>
<html>
<head>
<title>Search Products</title>
<link rel="stylesheet" href="style.css">
</head>
<body>

<header>
<h1>Search Products</h1>
</header>

<div class="container">

<div class="panel">

<input type="text" placeholder="Search...">
<button>Search</button>

<h3>Furniture Category</h3>
<ul class="list">
<li>Chairs</li>
<li>Desk</li>
<li>Cupboards</li>
</ul>


<h3>Wood Types</h3>
<ul class="list">
<li>Soda Ash</li>
<li>Mahogany</li>
</ul>

<button onclick="location.href='index.htm'">Back</button>

</div>
</div>

</body>
</html>
```

Output:



UPDATE CATALOG PAGE:

```
<!DOCTYPE html>
<html>
<head>
<title>Update Product Catalog</title>
<link rel="stylesheet" href="style.css">
</head>
<body>

<header>
<h1>Update Product Catalog</h1>
</header>

<div class="form-box">

<form>
<label>Product ID</label>
<input type="text">

<label>Product Name</label>
<input type="text">


<label>Price</label>
<input type="text">
```

```
<button type="submit">Update</button>
<button type="button" onclick="location.href='index_emp.htm'">Back</button>
</form>

</div>

</body>
</html>
```

Output:



The screenshot shows a web page with a dark brown header containing the text "Update Product Catalog" in white. Below the header is a light beige background. In the center, there is a white rectangular form. The form contains three input fields labeled "Product ID", "Product Name", and "Price". At the bottom of the form are two buttons: "Update" and "Back".

CSS STYLE SHEET CODE:

```
body {
  font-family: Arial, sans-serif;
  margin: 0;
  background-color: #f5f3ef;
  color: #2c2c2c;
}
```

```
header {
  background: #5a3e2b;
  color: white;
  padding: 15px;
  text-align: center;
}
```

```
.container {  
  width: 90%;  
  margin: auto;  
  padding: 20px;  
}
```

```
.menu {  
  width: 250px;  
  background: white;  
  padding: 15px;  
  border-radius: 5px;  
}
```

```
.menu a {  
  display: block;  
  padding: 10px;  
  margin-bottom: 8px;  
  background: #d6c2b0;  
  text-decoration: none;  
  color: #2c2c2c;  
  border-radius: 4px;  
}
```

```
.menu a:hover {  
  background: #8b5e3c;  
  color: white;  
}
```

```
.form-box {  
  background: white;  
  padding: 50px;  
  width: 400px;  
  margin: 50px auto;  
  border-radius: 5px;  
}
```

```
.form-box a {  
  display: block;  
  padding: 10px;  
  margin-bottom: 8px;  
  background: #d6c2b0;  
  text-decoration: none;  
  color: #2c2c2c;
```

```
border-radius: 4px;
}

.form-box a:hover {
  background: #8b5e3c;
  color: white;
}

.form-box p {
  margin-top: 15px;
  font-size: 14px;
  text-align: center;
}

.form-box a.text-link {
  display: inline-block;
  padding: 0;
  margin: 0;
  background: none;
  color: #2e86ab;
  border-radius: 0;
}

.form-box a.text-link:hover {
  background: none;
  color: #2e86ab;
  text-decoration: underline;
}

.form-box label {
  display: block;
  margin-bottom: 10px;
}

.form-box input[type="checkbox"] {
  width: auto;
  margin-right: 8px;
}

input, select {
  width: 100%;
  padding: 8px;
  margin-bottom: 12px;
  border: 1px solid #ccc;
```

```
border-radius: 4px;
}

button {
padding: 8px 15px;
background: #d6c2b0;
color: white;
border: none;
text-decoration: none;
color: #2c2c2c;
border-radius: 4px;
cursor: pointer;
}

button:hover {
background: #8b5e3c;
}

.products {
display: flex;
gap: 20px;
}

.product-card {
background: white;
padding: 15px;
width: 150px;
text-align: center;
border-radius: 5px;
}

.group {
margin-bottom: 15px;
}

.group label {
display: block;
margin-bottom: 8px;
}

.group input[type="radio"] {
width: auto;
margin-right: 8px;
}
```

```
.btn-group {  
  margin-top: 15px;  
}
```

```
.btn-group button {  
  margin-right: 10px;  
}
```

```
.panel {  
  background: none;  
  padding: none;  
  border-radius: 5px;  
  max-width: 800px;  
}
```

```
.panel input {  
  width: 70%;  
  display: inline-block;  
}
```

```
.panel button {  
  display: inline-block;  
  margin-left: 10px;  
}
```

```
.list {  
  list-style: none;  
  padding: 0;  
}
```

```
.list li {  
  background: #d6c2b0;  
  margin-bottom: 8px;  
  padding: 8px;  
  border-radius: 4px;  
}
```